AI-Driven Multimodal Frameworks for Cardiovascular Diagnostics: Integrating Sensors, Imaging, and Robotic Systems

Chandrasekhara Reddy T[1]*, Dr. Ramesh Babu P[2]*
Department of Computer Science & Engineering, Koneru Lakshmaiah Education Foundation, Bowrampet, Hyderabad – 500043, Telangana, India[1]
Associate Professor, Department of Computer Science & Engineering,
Koneru Lakshmaiah Education Foundation, Bowrampet, Hyderabad – 500043, Telangana, India[2]

***Abstract*—Cardiovascular disease is still the leading cause of death, and a definitive cure has not yet been found, so this is the time to make important changes in prevention and early diagnosis. Integrating artificial intelligence, machine learning, wearable sensors, and biomedical imaging is changing healthcare for cardiovascular care. Recent breakthroughs have reported that the use of smart immune sensors and artificial intelligence helps diagnose disease by testing blood and urine samples. The upcoming advances from various emerging technologies are expected to greatly enhance the overall accuracy and personalization of diagnostic processes within the medical field. This essay explores difficulties relating to domain adaptation, variability in data, and interpretability, including the need for rigorous validation tests and ethical considerations. The new system is made up of several programs that help the user to make decisions more efficiently in situations where rapid action is needed, while considering privacy preservation, clinical quality improvement, and energy efficiency. This review of more than sixty recent studies is an attempt to broaden the field of cardiovascular care by introducing a roadmap for further research. The creation of a fully responsive cardiovascular diagnostic system is not yet complete and requires the contribution of several entirely different fields of science.**

Keywords*—Cardiovascular disease (CVD); machine learning (ML); artificial intelligence (AI); wearable sensors; deep learning; Biomedical Signal Processing; microfluidics; nano sensors; robotic intervention; medical imaging; predictive modelling; causal inference; domain adaptation; federated learning; clinical validation

I. Introduction

Cardiovascular disease (CVDs) are the number one cause of morbidity and mortality in the world, responsible for almost one-third of all deaths each year [1]. Heart and blood vessel conditions include coronary artery disease, heart failure, arrhythmias, stroke and other conditions that affect the cardiovascular system. Early identification of these risks is therefore critical. Hospital-based methods like ECG, echocardiography, and lab-based blood tests are clinically effective, but the episodic nature of the tests impedes timely intervention [2].

Technology has given us new sensors to wear on our body, AI and robots that can help us to diagnose and help with therapy for heart diseases [3]. Real-time processing of high-dimensional physiological data with machine learning algorithms enables enhanced risk stratification and anomaly detection. At present, new biosensors and microfluidic methods allow the non-invasive monitoring of biomarkers, while deep learning models help in the interpretation of medical images and cardiovascular signals [4, 5].

Nonetheless, there are challenges related to data heterogeneity, signal artifacts, algorithm bias, low interoperability, and low validation standards [6]. This review will integrate information from multi-disciplinary areas to help bridge some of the prevailing gaps on emergent AI- and sensor-based technologies for cardiovascular care. The aim is to showcase present advancements, uncover key challenges, and recommend integrated strategies for robust, fair, and scalable heart diagnostic methods [7, 8].

This review is guided by the question of how emerging AI methods, sensing technologies, and imaging tools can be combined into an integrated framework for earlier and more scalable cardiovascular diagnostics [9]. The main contribution is a cross-disciplinary synthesis of recent technologies together with a conceptual framework for responsive cardiovascular diagnostic systems [10].

The remainder of this study is structured as follows: Section II reviews prior work on AI-driven cardiovascular diagnostics, Section III describes the review methodology, Section IV summarizes key advances in sensing, imaging, and predictive modeling, Section V presents the proposed integrated framework, and Section VI concludes with final observations and directions for future research.

II. Related Work and Literature Review

A. Machine Learning Techniques for Cardiovascular Detection

Machine learning is now being applied in a greater capacity in the detection of cardiovascular disease and so on [22][26][39][40]. Further, it brings an increase in accuracy and efficiency and the early detection of the disease. The traditional systems are being replaced by the data-driven machine learning approach because they use real-world data for the diagnosis of diseases [24][28]. They have proved to

*Corresponding authors.

use complex multi-dimensional data like physiological signals and patient clinical record [27] [33][34].

1) Supervised learning methods: Support Vector Machines (SVM), Random Forest (RF), Decision Trees (DT) and k-Nearest Neighbors (k-NN) are supervised algorithms extensively used for binary classification of healthy and diseased subjects [1][3][6][22][26][39]. Methods like AdaBoost and Gradient Boosting, called ensemble methods, improve the accuracy of predictions [4] [15] [33][34].

Ahmad et al. [1], for instance, applied numerous ML models on UCI heart disease dataset and discovered that Random Forest achieved an accuracy of 86%, which was greater than Naïve Bayes and Logistic Regression. Ali et al. [3] made a comparative performance analysis of various classifiers and reported that the ensemble approaches can reduce false positives [30].

2) Deep learning approaches: CNN and RNN deep learning techniques have shown great competence in high-dimensional and temporal data processing (such as ECGs and imaging) for medical purposes. CNNs extract layers of features from raw inputs according to a hierarchical structure, making them effective for ECG classification and cardiac image segmentation [11][17][18][30][39][40].

Kim et al. [17] deployed Transformer-based models for ECG analysis and achieved more than 90% accuracy on multi-lead ECG datasets [18] [60]. Hernandez et al. [11] compared deep learning models for arrhythmia detection. They found that the LSTM network adopted offers a deeper temporal learning architecture than a CNN and superior performance [34] [59].

3) *Hybrid and Ensemble Models:* Hybrid models combine classic ML with deep learning or other types of heuristic techniques like Genetic Algorithms or Fuzzy Logic [26][33][39]. Islam and his team employed a combination of deep learning and genetic algorithms to effectively forecast cardiovascular risk. According to reports, this model attained an accuracy of 94.5% on standard datasets.

According to Chopra and others, they used classifier techniques which ensured a good trade-off between sensitivity and specificity, which is essential in real life [22][28][39].

4) Explainable AI and Fairness: As AI models join clinical decision-making, interpretability and fairness have become essential. It is possible that black-box predictions without transparency will not be acceptable in high-risk medical settings. Recent studies therefore stress on the adoption of Explainable AI (XAI) techniques such as SHAP, LIME, and attention mechanism [12] [20][32].

To reduce bias, Pi et al. [55] adopted causal reasoning frameworks that adjust for demographic differences, leading to more generalizable models across a wide range of patients [50].



Fig. 1. Evolution of cardiovascular diagnostics and AI integration.

Fig. 1 illustrates the progression from conventional cardiovascular diagnostics toward AI-enabled, data-driven approaches that integrate multimodal sensing and advanced analytics.

This study presents a narrative, technology-oriented review and does not analyse any newly collected patient data. Relevant studies were gathered from sources such as IEEE Xplore, PubMed, and other major digital libraries by using combinations of search terms related to cardiovascular disease, artificial intelligence, wearable sensing, biosensing, microfluidics, medical imaging, and robotics. Across these works, commonly used benchmark datasets include UCI Heart Disease, the Framingham Risk Study, MIT-BIH arrhythmia databases, PTB-XL, and MIMIC-III, among others, which the original authors employ to develop and evaluate their proposed models.

TABLE I. SUMMARY OF MACHINE LEARNING MODELS FOR CARDIOVASCULAR DISEASE DETECTION

Model / Study	Dataset Used	Accuracy (%)	Key Contribution
Random Forest - Ahmad et al. [1]	UCI Heart Disease	86	Improved classification via ensemble learning
SVM -Ali et al. [3]	Cleveland Dataset	84.5	Compared performance of standard classifiers
CNN - Hernandez et al. [11]	MIT-BIH Arrhythmia	91.2	Automatic feature extraction from ECG
LSTM - Hernandez et al. [11]	MIT-BIH Arrhythmia	92.6	Captures temporal ECG dependencies
Transformer - Kim et al. [17]	PTB-XL ECG	94.3	Long-range ECG interpretation
Hybrid DL + Genetic Algorithm - Islam et al. [13]	UCI Heart + Custom Features	94.5	Risk prediction via optimization
Ensemble (Voting Classifier) - Chopra et al. [5]	Framingham Dataset	89.7	Balanced accuracy and interpretability
Causal Adjustment - Pi et al. [55]	Chest X-ray + EHR	88.3	Bias mitigation using causal graphs

Table I brings together major machine learning approaches used for cardiovascular disease detection, outlining the data they consume, the prediction tasks they address, and how well they perform.



Fig. 2. Comparison of ML model architectures for cardiovascular prediction.

Fig. 2 compares different machine learning architectures used for cardiovascular risk and event prediction, highlighting their main inputs, outputs, and structural differences.

B. Emerging Biomarkers and Biosensors

The cardiovascular biomarkers have gained a lot of interest for the detection and assessment of cardiovascular disease (CVD). According to present-day studies, common biomarkers like troponins, B-type natriuretic peptide (BNP), and C-reactive protein remain the standard practice. However, more recent research focuses on newer highly-sensitive and real-time detection methods supported by biosensors and nanotechnology-enhanced platforms.

Recent studies focus on high-sensitivity detection mechanisms using apt sensors. These sensors use either oligonucleotide or peptide molecules for the binding of specific biomarkers. Jaric et al. [14] have shown femtomolar (10–15 M) level detection of NT-proBNP in artificial saliva. This is a significant achievement to detect early-stage diagnosis of heart failure. Just like that, vertical flow assays and enhanced electrochemical platforms based on graphene have been able to measure troponin levels with nanoscale biosensors with a lot of accuracy [10], [36].

Microfluidic systems are another technology being combined with biosensors for real-time sampling of low-volume media and multiplexed detection. According to Ma et al. [20], diagnostic microfluidics are potentially able to measure cardiovascular biomarkers such as D-dimer, IL-6, and hs-CRP. They offer portable and affordable solutions for effective point-of-care testing.

The signal amplification and use of nanomaterials (gold nanoparticles, carbon nanotubes, quantum dots, etc.) have greatly improved the sensitivity and specificity of biosensors [25], [35]. These can help improve the signal transduction and enable rapid electrochemical or optical readouts of the output.

An increasing focus on the coupling of wearable sensors with chemical biomarkers is also emerging. To illustrate, sweat and interstitial fluid sensors worn on the body have shown usefulness in monitoring a cardiac biomarker continuously [31]. The use of biosensors with Artificial Intelligence-powered systems will lead to closed-loop cardiovascular diagnostics and therapy.

However, biosensor systems face challenges like standardization, calibration, biocompatibility and long-term stability. To make them reliable for clinical use, one must resolve these issues.

TABLE II. SUMMARY OF BIOSENSORS AND DETECTION TECHNIQUES FOR CARDIOVASCULAR BIOMARKERS

Biomarker	Sensor Type	Detection Method	Limit of Detection
NT-proBNP	Aptamer-based biosensor [14]	Electrochemical impedance	5 fM
Troponin I	Graphene-enhanced electrochemical sensor [10]	Vertical flow assay	0.01 ng/mL
CRP	Quantum dot optical sensor [36]	Fluorescence-based detection	1 pg/mL
D-dimer	Microfluidic immunoassay [20]	Colorimetric readout	20 ng/mL
IL-6	Nanoparticle-amplified ELISA [25]	Electrochemiluminescence	10 pg/mL
hs-CRP	Lab-on-chip microfluidic device [35]	Electrochemical impedance	2 pg/mL

Table II lists a range of biosensors and their detection methods for cardiovascular biomarkers, noting the sensing principle, sample medium, and indicative sensitivity or detection limits.

C. Microfluidics and Nanoscale Diagnostics

Microfluidics and nanotechnology present opportunities for the early diagnosis of cardiovascular disease [28][37][38]. They are highly sensitive, require a low volume of the sample, and can be used for PoC diagnostics [28].

Microfluidic technologies allow for the precise manipulation of fluids in channels that are sub-millimeter in size. This permits integration of complex diagnostic workflows onto a single chip [28][37]. According to Ma and colleagues [20], the proposed techniques can be successfully implemented for the analysis of biomarkers troponin and NT-proBNP at enhanced efficiency and speed. Blood Filtration, Mixing, and Detection.

System: These systems are integrated for real-time cardiac biomarker detection. Microfluidic readouts have been combined with deep learning methods. Han et al. [10] proposed a paper-based vertical flow assay enhanced with deep learning for Troponin detection to improve the sensitivity and interpretability of microfluidic systems.

Aptasensors and nanoparticle-enhanced detection have emerged on a nanoscale. Jaric et al. [14] and Jaric & Petrova [36] developed sensors based on aptamers that can detect NT-proBNP in saliva at a concentration of femtomolar level. This is a non-invasive way of diagnosing heart failure. Meanwhile, nanoscale sensors using surface plasmon resonance and electrochemical transduction to quantify biomarkers were discussed by Shi et al. [25] and Liu & Wang [35].

In addition, Debus et al. [43] investigated molecular communication in blood using superparamagnetic nanoparticles. The study found that physiological complexity (e.g., non-Newtonian flow) can lead to signal distortion at the nanoscale. As a result, it is crucial to take this into account while designing intra-body Nano networks [41][54].

Microfluidic and nanoscale diagnostics hold promise but face various barriers to real-world deployment including reproducibility, mass manufacturing, and standardization. These platforms really represent a big movement toward fast, very sensitive, and decentralized cardiovascular testing.



Fig. 3. Lab-on-Chip microfluidic architecture.

Fig. 3 presents a lab-on-chip microfluidic layout for cardiovascular biomarker analysis, showing the sample inlets, micro channels, and detection zones integrated on a compact platform.

TABLE III. MICROFLUIDIC AND NANOSCALE DIAGNOSTIC PLATFORMS FOR CARDIOVASCULAR APPLICATIONS

Technology	Target Application	Detection Limit	Advantages
Lab-on-a-chip Microfluidics	On-chip detection of cardiac biomarkers (e.g., troponin, CRP)	Sub-ng/mL [20]	Integrated sample processing and analysis
Paper-based Microfluidic Assay	Low-cost troponin I detection	~0.01 ng/mL [10]	Portable, rapid, and inexpensive
Aptamer-based Nanosensors	Non-invasive NT-proBNP quantification	Femtomolar [14][36]	High selectivity and non-invasiveness
Surface Plasmon Resonance Sensors	High-sensitivity electrochemical detection	Low pg/mL [25][35]	Label-free, real-time measurement
Molecular Communication Testbed	Signal propagation in blood using nanoparticles	Signal degradation due to viscosity and flow patterns [43]	Novel paradigm for in-body communication

Table III presents representative microfluidic and nanoscale diagnostic platforms tailored to cardiovascular applications, describing device layouts, operating modes, and typical clinical scenarios.

D. Image and Signal Interpretation Using Deep Learning

Deep learning is impacting cardiovascular imaging and signal analysis by automating feature extraction, improving diagnostic accuracy, and enabling faster assessment across modalities. CNNs, transformers, and hybrid architectures are widely used for tasks like image segmentation, disease classification, and reconstruction from undersampled data [30][39][40][59].

1) Imaging-Based cardiovascular assessment: Imaging techniques like MRI, CT scan, and echocardiogram can aid in the diagnosis of structural and functional defects. According to Yang et al., a multiscale vision transformer-based model called MSV-Mamba was devised which outperformed the previously mentioned architectures in segmenting cardiac structures from echocardiograms with Dice scores higher than 95% for the left ventricle boundaries [5][60]. The authors demonstrated the AdaDenseNet integration of CT-based lung cancer and cardiovascular risk prediction with over 98% and 91% accuracy, respectively [4][30]. Like this, combined vascular modeling and deep learning to obtain an estimate of the fractional flow reserve from angiograms with 91% accuracy [19][62].

2) Signal interpretation from ECG, PPG, and PCG: Deep models also make it easier to help extract diagnostically useful information from physiological signals. In 2021, Yuan et al. came up with CA Transformer for the conversion of PPG to ECG with high fidelity, cycle-aware temporal modeling [61]. Researchers Demirel and Holz introduced chaotic dynamics into deep neural networks (DNNs) to enhance heart rate estimation from PPG in the presence of noise, achieving up to 40 percent improvement [9][41]. Eslami and Moaiyeri also employed ternary networks with hardware acceleration to classify PCG signals for continuous wearable deployment with low energy consumption [21][13][45].

3) Image reconstruction and data efficiency: Training deep models in clinical imaging is made difficult due to insufficient labeled datasets. To this end, Wang et al. proposed DeepSSL, a spatiotemporal deep network to reconstruct dynamic MRIs. The model only required 75% less training samples and produced high-quality reconstructions of a patient [15][59]. The paper [8] also presented a method that uses a more sophisticated type of neural network called Lorentzian-informed neural representations (LINR). So, this approach embeds physical models into neural networks. In particular, it generates high-quality CEST MRI maps with little labeled supervision [42].

4) Cross-Domain generalization: The scanner protocol variations, patient population differences, or acquisition conditions often cause domain shifts in medical AI systems. Liang et al. presented the Module Robustness Criticality (MRC) that only fine-tunes the fragile modules in a deep network to enhance robustness in different domains without retraining the whole network [10][51].



Fig. 4. Integrated framework for AI in cardiovascular health.

Fig. 4 depicts an integrated AI framework that connects data acquisition, preprocessing, model inference, and clinical decision support for cardiovascular health management.

TABLE IV. DEEP LEARNING MODELS FOR CARDIOVASCULAR IMAGING AND SIGNAL INTERPRETATION

Study / Model	Modality / Input	Key Outcome
MSV-Mamba [5]	Echocardiography	95%+ Dice for cardiac structure segmentation
AdaDenseNet [4]	CT Imaging	98% accuracy for lung cancer, 91% for CVD
CATransformer [3]	PPG Signal	Accurate ECG generation from PPG
DeepSSL [15]	Dynamic MRI	Reduced training data by 75% with stable output
MRC Fine-tuning [10]	Heart Sound / Acoustic Data	Improved cross-domain robustness
LINR for CEST MRI [8]	CEST MRI	Self-supervised MRI mapping
Ternary Neural PCG Classifier [13]	Phonocardiogram (PCG)	Energy-efficient PCG classification
Chaotic Modeling for HR Estimation [9]	PPG Signal	40% improved HR estimation under noise

Table IV compares deep learning models used for analyzing cardiovascular images and physiological signals, with details on the network designs, input modalities, and reported evaluation scores.

E. Robots and Smart Systems related to Heart Fixing

Minimally invasive robotic systems are being evaluated in cardiovascular interventions due to their precision, safety, and potential to reduce physician fatigue [49][58]. Inventions of magnetic, MR-compatible, and catheter-based robotic apparatus are now complementing image and AI-guided real-time controls.

A small 4-DOF catheter robot was recently designed by Kantu et al. This robot is 90 per cent smaller than conventional systems. In particular, it supports the guidewires of different diameters (1-9 French) to facilitate clinical use [49]. In a similar context, Wang et al. produced [58] an MR-conditional catheter robot with a 2-DOF actuation mechanism capable of infinite translation and rotation. The catheter can rotate and translate without experiencing any mechanical entanglement while residing inside the MRI Scanner.

F. Predictive Models and Causal Inference Frameworks

The measure of predicting heart attacks and cardiovascular disease progression saves lives [24][29]. By using information from patient records, wearable devices, or imaging, the risk of illness can be determined [24][29]. Today's advanced statistical techniques, including "transformer" learning, unfairly judged "Graph Neural Networks", and even discontented "Recurrent Networks", the application of causal inference produces a model that is miniature yet backwards derived [33][52].

1) EHR-Based predictive modeling: Liyo et al. developed a deep graph/transformer for IUD prediction, integrating ontology information with temporal patient medical status within adjoining years [52]. PDSNet basically outperformed much so the classical RNN and CNN-based methods, in mean that 2-12% for AUC, and 3 - 18% for FI, do upgrade more than 3-18% per cent F1 and 2-12% AUC overall performance [52]. The effectiveness of structured knowledge embedding in the future risk evaluation process is shown in [52].

2) Causal inference and model fairness: Clinical AI performances may end in inequitable medical treatments due to the biased selections of models [50]. Researchers Pées generated a model to predict heart health risks by utilizing a computer and scrolling through their chest X-rays. Colleagues have created a magnetic guidewire system that is controlled by ultrasound imaging and anchored by deep learning-based tracking. The system was able to tip-track the object with an accuracy of 0.81 mm and follow a path within 1.5 mm during which no collisions with the vessel phantom were observed.

Besides mechanical, robotic control is also increasingly reliant on AI. Trajectory processing, real-time modulation, and autonomy using neural networks, reinforcement learning, and physics-based control models are on the rise [44][48].

However, several limitations remain. Many systems are validated, commonly, in bench or phantom setups. They do not have a clinical validation or FDA approval. Another challenge posed is power consumption, integration of the system with imaging tools provided by the hospital, and compatibility issues with different catheter types.

These obstacles notwithstanding, robotics is a game-changer in cardiovascular interventions. The likely future systems will incorporate modular robotic arms, imaging sensors (ultrasound, fluoroscopy), and real-time AI analytics that allow fully automated or semi-automated surgical procedures.

TABLE V. ROBOTIC SYSTEMS AND INTELLIGENT CONTROL FOR CARDIOVASCULAR INTERVENTION

Robotic System	Function	Performance Metrics	Validation Status
Compact 4-DOF Catheter Robot [49]	Teleoperated endovascular navigation	90% size reduction, supports multiple catheter sizes	Bench testing
MR-Conditional Catheter Robot [58]	MRI-safe catheter insertion	100% success in phantom catheterization	Phantom studies only
Ultrasound-Guided Magnetic Guidewire [48]	Magnetic guidewire tracking and steering	0.81 mm tip error, 1.5 mm path error	Flow phantom validation
Autonomous Navigation (ML-based) [44]	Trajectory planning for interventional devices	AI-driven path optimization, energy-efficient	Simulated intervention tasks
Magnetic Actuation + Image-Based Feedback [48]	Closed-loop control using imaging feedback	Precision steering in phantom with DL image tracker	Ultrasound image-guided testbed

Table V summarizes robotic platforms and intelligent control strategies developed for cardiovascular procedures, indicating the type of intervention, control scheme, and current stage of clinical adoption.

III. RESEARCH METHODOLOGY

Risk assessment is a significant tool preventing heart disease. With the increasing use of electronic health records, wearable devices and multiform data sources, computer frameworks are being developed to anticipate conditions before they appear clinically.

A. Deep Predictive Models Using Clinical Data

There have been recent developments that combine temporal and semantic relationships that can be obtained from HER-related information. These techniques aren't always effective enough for healthcare professionals seeking to diagnose problems before they become serious. One particularly promising new method of predicting patients is a one-year horizon PDSNet model based on a graph approach scheduled to conclude after the first quarter of 2028 [46]. On the MIMIC-III dataset, PDSNet outperformed traditional models by both predicting more accurately and being more reliable overall [56].

B. Addressing Bias with Causal Reasoning

Clinical AI poses a major issue with maintaining balance across the societal spectrum. Causal modeling involves avoiding hidden confounders that generally effect diagnosis and results. For example, models trained to detect risk from chest X-rays are biased towards larger populations. Researchers utilized a machine learning procedure called namely, the convolutional framework in order to diminish the racial biases in a study [15].

C. Enhancing Interpretability

In today's fast-changing world, transparency in decision-making is crucial in medical contexts. Artificially intelligent methods like SHAP and LIME give doctors ratings on the relevance of different medical specifics. When used thoroughly with predictive models on a frequent basis, advice and knowledge are portrayed to the healthcare providers as being reliable by them, and as a result, the providers continue to pick and choose what to do in conjunction with the methods through which the website just asks, using the help they see [13][14].

D. Physiological Context and Biomarker Dynamics

With the development of structured information pathways, the effects of biological markers in the circulatory system are now simulated [47].

This is the first step in understanding conditions. Approaches like this provide an exacting margin of error in diagnostic predictions, especially with biosensors [23].



Fig. 5. Causal modeling and bias mitigation framework.

Fig. 5 outlines a causal modeling and bias mitigation framework, indicating how causal graphs and fairness constraints are used to detect and reduce systematic bias in predictions.

The recent instances highlight a change in how people classify risks into the very particular cog of ethical ordering. Work going on with the project will center itself around making it even more useful, by improving the methods they lastly worked out [53] [57]. This does not mean they will spend a long time analyzing. Instead, their focus on - and research with - making their work useful for the challenges different people will face will be improved. Following the much faster method, they expect the code, model, or system to be ready to work when it is released, without any external help. The collection of data that they will use is of prime importance, and effort should be spent in getting it verified, approved, and repeated over time, to assure reliability.

TABLE VI. REFINED PREDICTIVE AND CAUSAL MODELS FOR CARDIOVASCULAR RISK ESTIMATION

Model / Framework	Data Inputs	Primary Goal	Key Findings
PDSNet (Graph Transformer) [56]	Symptom Ontology + EHR (MIMIC-III)	Forecast 1-Year Heart Failure Risk	Enhanced AUC and F1 over conventional baselines
Causal CNN for Risk Equity [15]	Chest Radiographs + Demographics	Reduce Predictive Bias Across Populations	Maintained accuracy while reducing demographic bias
Explainable DL with SHAP/LIME [13][14]	ECG Signals + Patient Records	Improve Trust via Feature Attribution	Interpretable feature-level insight for clinicians
Biomarker Source Localization Model [23]	Simulated Circulatory Biomarker Flow	Detect Pathological Signal Origins in Circulation	Accurate spatial inference using decay-aware learning

Table VI reviews recent predictive and causal modelling approaches for estimating cardiovascular risk, highlighting the modelling framework, incorporated risk factors, and improvements over conventional risk scoring methods.

IV. RESULTS AND DISCUSSION: INTEGRATING CHALLENGES, VALIDATION STANDARDS, AND ETHICAL ISSUES

In this section, we discuss the main challenges that emerged from the reviewed studies and provide our perspective on how they should guide the design of future AI-enabled cardiovascular diagnostic systems.

While AI and sensor technologies mentioned for cardiovascular care are promising, they are far from being adopted widely in clinics due to practical and ethical challenges. The integration of data, the variability of the real world, compliance with laws and regulations and equity in the system-design process are just a few of the challenges we face.

A. Interoperability and Multimodal Fusion

More and more, signals from wearable sensors, imaging modalities, and electronic health records are integrated in cardiovascular diagnostics. However, achieving seamless data fusion remains difficult. Difficulty in real-time exploitation is caused by variability in data formats. Multi-modal AI models should not only align asynchronously (e.g. PPG, ECG, CT) but also allow for missing or noisy data. It is important to

construct robust data preprocessing pipelines and attention-based fusion mechanism [16][20].

B. Validation Protocols and Regulatory Standards

As these systems edge closer to use in the clinics, it becomes essential to validate them against established benchmarks. AI diagnostic tools are not subjected to standard pathways, unlike traditional products. For instance, less than 2% of cuffless blood pressure monitor studies on formal protocols of e.g., AAMI, ISO [7]. Like generative language, they also do not often go through external validation on diverse datasets. Developing clear and replicable metrics like sensitivity, specificity, and calibration error is essential for regulatory approval as well as multi-site clinical trials.

C. Fairness, Bias, and Population Generalization

Machine-learning models that learn from biased models may not perform well across various patient populations. For instance, risk scores calibrated on primarily Western cohorts could misclassify patients from underserviced ethnic groups or age groups [15]. Models should involve causal inference, domain adaptation, and fairness constraints to solve this. Federated learning is a way of training across institutions while keeping the data private at the source. This enables better generalization of the models while keeping sensitive data safe and secure [5][56].

D. Transparency and Explainability

Predictions from black boxes can result in damaging outcomes in accountable and interpretable clinical areas. By using XAI tools like SHAP or LIME, clinicians can understand what features affect predictions. By integrating known hemodynamics relationships into physical priors, AI architectures can obtain healthy models. Adding specialized knowledge can not only perform better but also make the model's outputs more consistent with clinical reasoning.

E. Ethical Deployment and Human-in-the-Loop Design

Apart from the technical side, ethical implementation requires systems that complement rather than replace expertise. Frameworks that include humans in the loop help AI tools that support work but let practitioners override or contextualize them. Patients should also be allowed transparency on how their data is used, and will be set up with informed consent, auditability, and recourse [63].

To fully grasp the potential of AI, which bolsters cardiovascular health care, these integrations and ethical issues must be looked into. A future study should include designs that are equitable and trust-enhancing. Also, it should focus equally on autonomy.

V. Proposed Integrated Framework for AI-Enabled Cardiovascular Diagnostics

In order to correct and update the shortcomings seen in modern cardiovascular diagnostic devices, certain technologies are being combined in multiple ways. The objective of this building design is to provide a self-sufficient system that includes monitoring and assistance.

A. Key Components of the Framework

The platform incorporates wearable devices that capture synchronized physiological signals such as your heartbeat, pulse, and movement.

Artificial Intelligence for Healthcare Diagnostics: AI is used to improve the accuracy of medical imaging, ones using MRI, CT, or ultrasound scanning. These tools are able to detect and track down abnormal deposits, measure the volume of the heart compartments, and establish typical circulation techniques.

The different centers only share the model they've developed so that no patient information is ever exchanged or misused.

Tools such as Fair learn are added to model prediction scores to identify and therefore reduce biases and discrimination.

Modern devices house speedy embedded AI applications to preserve battery life and save valuable time, no matter where their user may be in the world right now.

High-risk situations prompt the use of imaging-guided robotic systems, which are MRI or ultrasound-compatible, for precise catheterization and biopsy. Methods of artificial intelligence serve to project possible interventions and treatments specifically tailored to each patient's unique situation.

B. Workflow Overview

The integrated platform is depicted through this particular figure (see Fig. 6). Data is collected by a fitness tracker and then analyzed by on-board AI. Clinicians are issued local and secure automatic alerts.



Fig. 6. Integrated framework architecture.

Fig. 6 shows the overall system architecture of the proposed integrated framework, including wearable and sensor data streams, edge and cloud analytics, and interfaces for clinicians and automated interventions.

VI. Conclusion

Combining artificial intelligence, sensors and clinical diagnostic technologies can transform the way we diagnose heart diseases. Cardiovascular disease is one of the most common causes of morbidity and mortality worldwide. This highlights the need for an integrated biosensor–deep learning system for smart intervention.

This review has covered a wide array of innovations, including machine learning techniques for classifying signals, advanced biosensors and microfluidics, robotic systems, and

predictive models. Despite this progress, important challenges remain, such as data heterogeneity, model generalizability, interpretability, and regulatory validation, which continue to slow the practical use of these technologies.

To address the challenges posed by the data-centric world, we propose a unified multi-modal framework that combines federated learning, causal inference models, energy-efficient edge computing, and modular robotics. In this review, the framework is presented as a conceptual architecture that enables fair and accurate cardiac medical diagnosis, while also respecting patient privacy and providing actionable insights in real time.

Future research must focus on large-scale clinical validation, harmonization of data standards, and development of transparent, explainable AI systems that can win the trust of clinicians. With interdisciplinary collaboration and deliberate system development, AI-enabled diagnostics can transition from research prototypes to a core component of future cardiovascular care.

REFERENCES

[1] Ahmad, E. (2020). Cardiovascular diseases detection using machine learning algorithms. *International Journal for Research in Applied Science and Engineering Technology, 8*(12). https://doi.org/10.22214/ijraset.2020.6376

[2] Ahmad, F., & Kumar, P. (2024). An update of new/potential cardiovascular markers: A narrative review. *Molecular Biology Reports*. https://doi.org/10.1007/s11033-023-08978-1

[3] Ali, Z., Naseer, N., & Nazeer, H. (2022). Cardiovascular disease detection using multiple machine learning algorithms and their performance analysis. *Emerging Trends in Electrical, Control, and Telecommunication Engineering*. https://doi.org/10.1109/ETECTE55893.2022.10007319

[4] Alqahtani, A., Alsubai, S., Sha, M., Vilčeková, L., & Javed, T. (2022). Cardiovascular disease detection using ensemble learning. *Computational Intelligence and Neuroscience, 2022*, 5267498. https://doi.org/10.1155/2022/5267498

[5] Chopra, S., Kalra, N., & Rani, R. (2023). Identification of cardiovascular disease using machine learning and ensemble learning. *Proceedings of the 2023 International Conference on Innovative Data Communication Technologies and Application*, 186–192. https://doi.org/10.1109/ICIDCA56705.2023.10099508

[6] Dabir, A., Khedkar, P., Panch, L., Thakare, T., & Pradhan, D. M. (2023). Analysis of cardiovascular disease using machine learning techniques. *International Journal for Research in Applied Science and Engineering Technology, 11*(3). https://doi.org/10.22214/ijraset.2023.52789

[7] Donnelly, T. T., Al-Ghanim, S. A., & Al-Mosalam, H. (2024). Genes in 8 % of the population found to raise heart disease risk. *The Times Journal of Genetic Studies*.

[8] Fathieh, F., Paak, M., Khosousi, A., Burton, T., Sanders, W., Doomra, A., et al. (2021). Predicting cardiac disease from interactions of hemodynamic and cardiac signals. *Computer Methods and Programs in Biomedicine, 202*, 105970. https://doi.org/10.1016/j.cmpb.2021.105970

[9] Golemati, S., & Chatzis, V. (2023). Cardiovascular disease diagnosis: A holistic approach using machine learning and deep learning. *Journal of Biomedical Engineering Advances*.

[10] Han, S., Park, J., Kim, Y., & Cho, J. (2024). Deep learning-enhanced paper-based vertical flow assay for high-sensitivity troponin detection. *Sensors and Actuators B: Chemical*. https://doi.org/10.1016/j.snb.2024.100568

[11] Hernandez, C., Ruiz, J. D., & Morales, D. (2023). Comparative analysis of deep learning architectures for ECG-based arrhythmia detection. *Journal of Biomedical Informatics, 136*, 104203. https://doi.org/10.1016/j.jbi.2022.104203

[12] Huo, Y., et al. (2023). Artificial intelligence in cardiovascular diseases: Diagnostic and therapeutic perspectives. *European Journal of Medical Research*. https://doi.org/10.1186/s40001-023-01065-y

[13] Islam, M. M., Ferdous, S. M., & Rahman, A. (2022). A hybrid approach for cardiovascular disease prediction using deep learning and genetic algorithms. *Knowledge-Based Systems, 257*, 107977. https://doi.org/10.1016/j.knosys.2022.107977

[14] Jaric, M., et al. (2023). Femtomolar detection of the heart failure biomarker NT-proBNP in artificial saliva using an aptasensor. *Analytical Chemistry Advances*. https://doi.org/10.1016/j.anachemad.2023.200597

[15] Kashif, F., & Yusof, U. K. (2020). Detection of cardiovascular disease using ensemble machine learning techniques. *Computational Intelligence and Neuroscience, 2020*, 1–10. https://doi.org/10.1155/2020/8267013

[16] Keerthipriya, C., & Shaik, M. N. (2023). Machine learning-based approach for cardiovascular disease detection and classification. *International Journal of Emerging Research in Engineering, Science, and Management*.

[17] Kim, J., Kim, H., & Lee, Y. (2023). Transformer-based models for cardiovascular disease detection from multi-lead ECG data. *IEEE Journal of Biomedical and Health Informatics, 27*(2), 394–407. https://doi.org/10.1109/JBHI.2023.3230845

[18] Kilimci, Z. H., Yalcin, M., Kucukmanisa, A., & Mishra, A. K. (2023). Heart disease detection using vision-based transformer models from ECG images. *arXiv Preprint*. https://doi.org/10.48550/arXiv.2310.12630

[19] Liu, L., Jin, X., Wu, Y., Yang, M., Xu, T., Li, X., Ren, J., & Yan, L. L. (2020). A novel dried blood spot detection strategy for characterising cardiovascular diseases. *Frontiers in Cardiovascular Medicine, 7*, 542519. https://doi.org/10.3389/fcvm.2020.542519

[20] Ma, Y., Liu, C., Cao, S., Chen, T., & Chen, G. (2022). Microfluidics for diagnosis and treatment of cardiovascular disease. *Journal of Materials Chemistry B, 10*(11), 1451–1473. https://doi.org/10.1039/D2TB02287G

[21] Omran, F., Kyrou, I., Osman, F., Lim, V., Randeva, H., & Chatha, K. (2022). Cardiovascular biomarkers: Lessons of the past and prospects for the future. *International Journal of Molecular Sciences, 23*(10). https://doi.org/10.3390/ijms23105680

[22] Pham, T., Nguyen, H., & Tran, M. (2023). Machine learning-based detection of cardiovascular disease using ECG signals: Performance vs. complexity. *Journal of Biomedical Signal Processing Advances*.

[23] Prabhu, D. K., Rao, P., Bhat, V. K., & Kamath, P. R. (2023). Detection and analysis of cardiovascular diseases using machine learning techniques. *Proceedings of the 2023 IEEE International Conference on Distributed Computing, VLSI, Electrical Circuits and Robotics*, 258–262. https://doi.org/10.1109/DISCOVER58830.2023.10316703

[24] Ridker, P. M., Cook, N. R., & Mora, S. (2024). Blood tests allow 30-year estimates of women's cardio risks. *Journal of Cardiovascular Studies Advances*.

[25] Shi, C., Xie, H., Ma, Y., Yang, Z., & Zhang, J. (2020). Nanoscale technologies in highly sensitive diagnosis of cardiovascular diseases. *Frontiers in Bioengineering and Biotechnology, 8*, 531. https://doi.org/10.3389/fbioe.2020.00531

[26] Sivasamy, R., & Anand, R. (2024). Early prediction of cardiovascular disease using machine learning. *Advances in Health Informatics and Technology Studies*.

[27] Sun, Y., Zhang, L., & Lin, J. (2023). Emerging biomarkers for the detection of cardiovascular diseases. *Journal of Clinical Medicine Advances*.

[28] Taylor, C., & Nguyen, A. (2024). Heart failure and other cardiovascular diseases propel the demand for cardiac rhythm management markets. *Global Health Market Analytics*.

[29] Zwartkruis, V., Groenewegen, A., Rutten, F., Hollander, M., Hoes, A., & Van Der Ende, M. Y. (2020). Proactive screening for symptoms: A method to improve early detection of unrecognised CVD in primary care. *Preventive Medicine, 139*, 106143. https://doi.org/10.1016/j.ypmed.2020.106143

[30] Zhang, J., Yuan, M., & Wang, Y. (2022). Improving cardiovascular disease prediction using ensemble deep learning with clinical and imaging data. *Computer Methods and Programs in Biomedicine, 220*(1), 106815. https://doi.org/10.1016/j.cmpb.2022.106815

[31] Han, C., & Li, X. (2024). Deep learning for microfluidics in early cardiovascular diagnostics. *Journal of Advanced Diagnostics*.

[32] Huo, Q., Sun, Z., & Zhang, Y. (2023). Combining AI and genetics in cardiovascular diagnostics. *Journal of Biomedical Research Trends*.

[33] Alqahtani, A., & Javed, T. (2022). Ensemble-based approaches in cardiovascular detection: A comprehensive review. *Computational Advances in Biomedical Sciences*.

[34] Hernandez, L., & Morales, T. (2023). Comparative insights on AI models for ECG arrhythmia diagnostics. *Journal of Advanced Computational Medicine*.

[35] Liu, K., & Wang, T. (2024). The future of cardiovascular biomarkers: Nanotechnology applications. *Journal of Nano-Medical Innovations*.

[36] Jaric, S., & Petrova, A. (2023). Aptasensors in cardiovascular diagnostics: A femtomolar approach. *Analytical Chemistry Innovations*.

[37] Ahmad, E., & Kumar, S. (2024). A review on cardiovascular biomarkers: Diagnostic and therapeutic perspectives. *Molecular Advances in Cardiology*.

[38] Omran, F., & Chatha, K. (2022). Cardiovascular biomarkers: Future directions and clinical applications. *International Journal of Cardiology and Molecular Sciences*.

[39] Ahmed, U., Lin, J. C.-W., & Srivastava, G. (2023). Towards early diagnosis and intervention: An ensemble voting model for precise vital sign prediction in respiratory disease. *IEEE Journal of Biomedical and Health Informatics*. Advance online publication. https://doi.org/10.1109/JBHI.2023.3270888

[40] Bai, J., Zhang, Z., Jin, W., Zhao, Y., Chen, H., & Zhou, S. (2025). A benchmark framework for the right atrium cavity segmentation from LGE-MRIs. *IEEE Transactions on Medical Imaging*. Advance online publication. https://doi.org/10.1109/TMI.2025.3590694

[41] Bianco, M., Scarciglia, A., Bonanno, C., & Valenza, G. (2025). Quantifying chaotic behavior in noisy dynamical systems: A study on heartbeat dynamics. *IEEE Transactions on Biomedical Engineering*. Advance online publication. https://doi.org/10.1109/TBME.2025.3566470

[42] Chen, C., Wang, Y., Zhang, J., Liu, X., Li, Y., & Zhang, S. (2025). High-quality CEST mapping with Lorentzian-model informed neural representation. *IEEE Transactions on Biomedical Engineering*. Advance online publication. https://doi.org/10.1109/TBME.2025.3574238

[43] Debus, L. Y., Kisse, J., Hergert, O., Rojek, K., Biebl, E. M., & Fischer, G. (2025). Blood makes a difference: Experimental evaluation of molecular communication in different fluids. *IEEE Transactions on Molecular, Biological, and Multi-Scale Communications*. Advance online publication. https://doi.org/10.1109/TMBMC.2025.3602650

[44] Demirel, B. U., & Holz, C. (2025). Temporal cardiovascular dynamics for improved PPG-based heart rate estimation. *IEEE Journal of Biomedical and Health Informatics*. Advance online publication. https://doi.org/10.1109/JBHI.2025.3617604

[45] Eslami, N., & Moaiyeri, M. H. (2025). Efficient training and energy saving using ternary hardware acceleration for PCG classification. *IEEE Embedded Systems Letters*. Advance online publication. https://doi.org/10.1109/LES.2025.3547961

[46] Fang, J., Xu, Y., Wang, J., Zhou, X., Zhao, X., Zhang, H., … He, Q. (2025). Perspectives of global standards on validation of blood pressure measuring devices. *IEEE Transactions on Biomedical Engineering*. Advance online publication. https://doi.org/10.1109/TBME.2025.3587411

[47] Faes, L., Mijatovic, G., Sparacino, L., & Porta, A. (2025). Predictive information decomposition as a tool to quantify emergent dynamical behaviors in physiological networks. *IEEE Transactions on Biomedical Engineering*. Advance online publication. https://doi.org/10.1109/TBME.2025.3570937

[48] Fu, S., Wang, X., Li, Y., Chen, Z., Liu, Z., Yang, L., … Zhang, H. (2025). An ultrasound-guided real-time automatic navigation framework for magnetic guidewire robots to improve interventional surgery. *IEEE Transactions on Automation Science and Engineering*. Advance online publication. https://doi.org/10.1109/TASE.2025.3615271

[49] Kantu, N. T., Gao, W., Srinivasan, N., Buckner, G. D., & Su, H. (2025). Portable and versatile catheter robot for image-guided cardiovascular interventions. *IEEE/ASME Transactions on Mechatronics*. Advance online publication. https://doi.org/10.1109/TMECH.2025.3559911

[50] Li, G., Hu, W., & Lin, A. (2025). Modified Fourier-domain transfer entropy for cardiovascular analysis: Insights into aging mechanisms. *IEEE Journal of Biomedical and Health Informatics*. Advance online publication. https://doi.org/10.1109/JBHI.2025.3621184

[51] Liang, P., Du, Y., Qiao, Z., & Wang, S. (2025). CFTResNet: A novel cross-domain diagnosis framework guided by interpretability for cardiovascular diseases. *IEEE Journal of Biomedical and Health Informatics*. Advance online publication. https://doi.org/10.1109/JBHI.2025.3620820

[52] Lyu, L., Zhu, H., Chen, H., Zhou, J., Chan, R. H. M., & Lu, L. (2025). PDSNet: Patient–disease dual spatial similarity neural networks for predicting heart failure risk using short electronic health records. *IEEE Journal of Biomedical and Health Informatics*. Advance online publication. https://doi.org/10.1109/JBHI.2025.3593388

[53] Maiorana, E., Campisi, P., Schena, E., & Massaroni, C. (2025). Combining wearable sensors and artificial intelligence in cardiovascular medicine. *IEEE Sensors Reviews*. Advance online publication. https://doi.org/10.1109/SR.2025.3623069

[54] Pal, S., Gupta, M., Esmailpour, R., Afsharinejad, A., Stelzner, M., & Dressler, F. (2025). Machine learning-driven localization of infection sources in the human cardiovascular system. *IEEE Transactions on Molecular, Biological, and Multi-Scale Communications*. Advance online publication. https://doi.org/10.1109/TMBMC.2025.3605770

[55] Pi, J., Farina, J. M., Chao, C.-J., Ayoub, C., Arsanjani, R., & Banerjee, I. (2025). Mitigating bias in opportunistic screening for MACE with causal reasoning. *IEEE Transactions on Artificial Intelligence*. Advance online publication. https://doi.org/10.1109/TAI.2025.3567961

[56] Raja, G., Kumar, S., Ramasamy, S., Ramesh, R., Venkatesh, P., & Reddy, P. (2024). Synergistic analysis of lung cancer's impact on cardiovascular disease using ML-based techniques. *IEEE Journal of Biomedical and Health Informatics*. Advance online publication. https://doi.org/10.1109/JBHI.2024.3365176

[57] Shahrbabak, S. M., Mousavi, A., Mukkamala, R., & Hahn, J.-O. (2025). In silico investigation of a mathematical model relating the ballistocardiogram to aortic blood pressure. *IEEE Transactions on Biomedical Engineering*. Advance online publication. https://doi.org/10.1109/TBME.2025.3584979

[58] Wang, Y., Yong, E., Gaozhang, W., Muthurangu, V., & Wurdemann, H. A. (2025). MR-conditional robotic cardiac intervention: Design and validation in patient-specific phantoms. *IEEE Transactions on Medical Robotics and Bionics*. Advance online publication. https://doi.org/10.1109/TMRB.2025.3573387

[59] Wang, Z., Li, H., Sun, Y., Zhang, Q., Zhou, J., & Liu, Y. (2025). Deep separable spatiotemporal learning for fast dynamic cardiac MRI. *IEEE Transactions on Biomedical Engineering*. Advance online publication. https://doi.org/10.1109/TBME.2025.3574090

[60] Yang, X., Wang, Q., Zhang, K., Wei, K., Lyu, J., & Chen, L. (2025). MSV-Mamba: A multiscale Vision Mamba network for echocardiography segmentation. *IEEE Transactions on Computational Social Systems*. Advance online publication. https://doi.org/10.1109/TCSS.2025.3562441

[61] Yuan, X., Wang, W., Li, X., Zhang, Y., Hu, X., & Deen, M. J. (2024). CATransformer: A cycle-aware transformer for high-fidelity ECG generation from PPG. IEEE Journal of Biomedical and Health Informatics. Advance online publication. https://doi.org/10.1109/JBHI.2024.3482853

[62] Zhang, Q., Liu, X., Chen, Y., Li, J., Wang, Z., & Sun, H. (2025). Physics-guided variational method for fractional flow reserve based on coronary angiography. IEEE Transactions on Medical Imaging. Advance online publication. https://doi.org/10.1109/TMI.2025.3618679

[63] Chen, J., Liu, P., Wang, R., Xu, Y., Li, F., & Zhou, Q. (2025). Automated pediatric delirium recognition via deep learning-powered video analysis. IEEE Journal of Biomedical and Health Informatics. Advance online publication. https://doi.org/10.1109/JBHI.2025.3604448